

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only

Please refer to the Instructions for Filling Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).



Notification of Regulated Waste Activity

United States Environmental Protection Agency

Date Received
(For Official Use Only)

FEB 9 1995

I. Installation's EPA ID Number (Mark 'X' in the appropriate box)

☒ A. First Notification

☐ B. Subsequent Notification
(Complete item C)

C. Installation's EPA ID Number

PAR000000703

II. Name of Installation (Include company and specific site name)

PANTHER CREEK PARTNERS

III. Location of Installation (Physical address not P.O. Box or Route Number)

Street

STATE ROUTE 54 W 1 MILE W OF 209

Street (Continued)

City or Town

NESQUEHONING PA 18240-

County Code

County Name

025 CARBON

IV. Installation Mailing Address (See Instructions)

Street or P.O. Box

P O BOX 997

City or Town

NESQUEHONING PA 18240-0097

V. Installation Contact (Person to be contacted regarding waste activities at site)

Name (Last)

LEVITZ

(First)

KENNETH

Job Title

MGR - FPF

Phone Number (Area Code and Number)

717-645-8741

VI. Installation Contact Address (See Instructions)

A. Contract Address
Location Mailing Other

☒ ☐ ☐

B. Street or P.O. Box

City or Town

VII. Ownership (See Instructions)

A. Name of installation's Legal Owner

PANTHER CREEK PARTNERS

Street, P.O. Box, or Route Number

STATE ROUTE 54 W RT 1 BOX 28

City or Town

NESQUEHONING PA 18240-

Phone Number (Area Code and Number)

717-645-8731

B. Land Type

P

C. Owner Type

O

D. Change of Owner Indicator

Yes ☐ No ☐

(Date Changed)

Month Day Year

SAFETY-KLEEN 105 SOLVENT
MATERIAL SAFETY DATA SHEET FOR U.S.A. AND CANADA

SECTION 1 -- PRODUCT AND PREPARATION INFORMATION

PRODUCT INFORMATION

IDENTITY (TRADE NAME): SAFETY-KLEEN 105 SOLVENT

SYNONYMS: Mineral Spirits, Stoddard Solvent, Petroleum distillates, Petroleum naphtha

SK PART NUMBER(S): 6617

FAMILY/CHEMICAL NAME: Aliphatic hydrocarbon

PRODUCT USE: Cleaning and degreasing metal parts.
If this product is used in combination with other chemicals, refer to the Material Safety Data Sheets for those chemicals.

RECEIVED
PA/DC SECTION
FEB 17 1993
EPA REGION III

24-HOUR EMERGENCY TELEPHONE

These numbers are for emergency use only. If you desire non-emergency information about this product, please call a telephone number listed below.

MEDICAL:

1-800-752-7869 (U.S.A.)
1-312-942-5969 (CANADA)

RUSH POISON CONTROL CENTER
CHICAGO, ILLINOIS, U.S.A.

TRANSPORTATION:

1-708-888-4660 (U.S.A.)
SAFETY-KLEEN ENVIRONMENT,
HEALTH AND SAFETY DEPARTMENT
1-613-996-6666 (CANADA)
CANUTEC

MANUFACTURER/SUPPLIER: Safety-Kleen Corp. - 777 Big Timber Road - Elgin, IL, U.S.A. 60123
Telephone number: 1-800-669-5840
Safety-Kleen Canada Inc. - 3090 Blvd. Le Carrefour - Suite 300 - Chomedey Laval
Quebec, Canada H7T 2J7 Telephone number: 1-800-363-2260

PREPARATION INFORMATION

MSDS FORM NO.: 82310

REVISION DATE: January 15, 1992

ORIGINAL ISSUE DATE: July 20, 1989

SUPERSEDES: December 14, 1990

PREPARED BY: Product MSDS Coordinator

APPROVED BY: MSDS Task Force

TELEPHONE NUMBER: For Product Technical Information Call 1-312-694-2700 (U.S.A.);
1-800-363-2260 (Canada)

RECEIVED
PA/DC SECTION
FEB 9 1993
EPA REGION III

SECTION 2 -- HAZARDOUS COMPONENTS

NAME	SYNONYM	CAS NO.	WT%	OSHA PEL		ACGIH TLV		OTHER DATA	
				TWA (ppm)	STEL (ppm)	TWA (ppm)	STEL (ppm)	LD ^a	LC
Parts Washer Solvent (consists predominantly of C9-C13 saturated hydrocarbons)	Mineral Spirits	64741-41-9	85.0	100 ^c	N.Av.	100 ^c	N.Av.	> 5000 ^c	> 5500 ^{b,c} mg/m ³ /4 hours
C8 ⁺ Aromatics	N.Av.	mixture	12.0	N.Av.	N.Av.	N.Av.	N.Av.	N.Av.	N.Av.
*Xylene ^c	Dimethylbenzene	1330-20-7	1.0	100	150	100	150	4300	5000 ^b ppm/4 hours
*Ethylbenzene ^c	Phenylethane	100-41-1	0.5	100	125	100	125	3500	4000 ^d ppm/4 hours

SAFETY-KLEEN 105 SOLVENT

MATERIAL SAFETY DATA SHEET FOR U.S.A. AND CANADA

*Toluene	Methylbenzene	108-88-3	0.5	100	150	100	150	5000	4000 ^d ppm/4 hours
*1,1,1-trichloroethane	Methyl chloroform	71-55-6	0-0.5**	350	450	350	450	10300	18000 ^b ppm/4 hours
*Perchloroethylene	Tetrachloro-ethylene	127-18-4	0-0.5**	25	N.Av.	50	200	2629	34200 ^b mg/m ³ /8 hours

N.Av. = Not Available

*See Section 9-Other Regulatory Information

**Even though the concentration range does not fall under the ranges prescribed by WHMIS, this is the actual range which varies with each batch of the product.

^aOral-Rat LD50 (mg/kg)

^bInhalation-Rat LC50

^cFor Stoddard Solvent

^dInhalation-Rat LCLo

^eConstituent of C8⁺ Aromatics

SECTION 3 -- EMERGENCY AND FIRST AID PROCEDURES

EYES:	For direct contact, flush eyes with water for 15 minutes lifting upper and lower lids occasionally. If irritation or redness from exposure to vapor or mist develops, move victim away from exposure into fresh air. Consult physician if irritation or pain persists.
SKIN:	Remove contaminated clothing and shoes. Wash skin twice with soap and water. Consult physician if irritation or pain persists.
INHALATION: (Breathing)	Remove to fresh air immediately. Use oxygen if there is difficulty breathing or artificial respiration if breathing has stopped. Do not leave victim unattended. Seek immediate medical attention if necessary.
INGESTION: (Swallowing)	Seek immediate medical attention. Do NOT induce vomiting. If spontaneous vomiting occurs, keep head below hips to avoid aspiration (into lungs).
SPECIAL NOTE TO PHYSICIAN:	Treat symptomatically and supportively. Administration of gastric lavage, if warranted, should be performed by qualified medical personnel. Contact Rush Poison Control Center (see Section 1) for additional medical information.

SECTION 4 -- HEALTH HAZARD DATA AND TOXICOLOGICAL PROPERTIES

PRIMARY ROUTES OF EXPOSURE: Eye and skin contact; inhalation, ingestion.

EXPOSURE LIMITS: See Section 2.

SIGNS AND SYMPTOMS OF EXPOSURE

ACUTE: **Eyes:** Contact with liquid or exposure to vapor may cause mild to moderate irritation with stinging, tearing or redness.

Skin: Contact tends to remove skin oils, possibly leading to irritation and dermatitis. No significant skin absorption hazard.

Inhalation (Breathing): High concentrations of vapor or mist may be irritating to the respiratory tract; may cause nausea; may cause headaches, dizziness, impaired coordination, anesthesia and other central nervous system effects.

Ingestion (Swallowing): Low order of acute oral toxicity. May cause irritation of the throat, nausea, vomiting, myocardial injury with arrhythmias and symptoms of central nervous system depression as listed for ACUTE Inhalation. Aspiration into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

CHRONIC: Prolonged or repeated skin contact may cause drying and cracking or dermatitis.



ACKNOWLEDGEMENT OF NOTIFICATION
OF REGULATED WASTE ACTIVITY
(VERIFICATION)

This is to acknowledge that you have filed a Notification of Regulated Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER

PAR000000703

02/28/95

INSTALLATION ADDRESS

PANTHER CREEK PARTNERS
STATE RT 54 W
NESQUEHONING PA 18240
KENNETH LEVITZ MGR EFF

STATE RT 54 W
NESQUEHONING PA 18240